






we box rocks!

tel : 0861 Gabion (422466)
 fax : 086 669 7205
 email : info@gabionbaskets.co.za
 web : www.gabionbaskets.co.za

All prices quoted exclude VAT.
 Prices are FOB Johannesburg.
 Prices subject to change due to exchange rate fluctuations.
 Allow for 2-6 weeks order production timeframe.
 Orders are processed upon receipt of payment in full.

Product Code	CCM-GTM400	CCM-GTM700	CCM-GTM900
Product Description	100% natural coconut fibre	100% natural coconut fibre	100% natural coconut fibre
Product Pictures			
Product Pricing/sqm (ZAR - South African Rand)			

Test Results of CCM Coir Biodegradable Soil Blankets as per ASTM Standards (Tested in the USA)

Yarns used: Anjengo, Aratory and Vycome

Test	Unit	H2M6	H2M8	H2M9
Warp Ends	per 10cm	4.60	11.00	13.00
Weft Picks	per 10cm	4.00	7.00	7.00
ASTM-D3776 Mass per Unit Area	grms/sqm	400.00	700.00	900.00
ASTM-D1777	mm	7.57	6.34	8.59
Thickness	mils	297.80	249.60	338.30

Wide-Width Strip Tensile Properties ASTM-D4599


Dry

Ultimate Strength lb/in				
RD		58.80	115.80	154.90
XD		55.30	54.10	60.40
Ultimate Strain - %				
RD		24.60	23.90	31.00
XD		297.80	249.60	338.30

Wet

Ultimate Strength lb/in				
RD		45.10	114.70	124.40
XD		42.30	48.40	48.80
Ultimate Strain - %				
RD		35.00	52.30	55.00
XD		37.20	42.90	45.60

* RD=Roll Direction, Weft Picks=XD=Cross Roll Direction

Product Code	CCM-ECM006
Product Description	Coir Stitched Erosion Control Blanket Type 6 is made from 100% coir fibre stitched together on both sides with a PP-net. The PP-nets decompose by being exposed to the sun. The decomposition durability is about 6-10 months.
Product Picture	
Product Pricing/sqm (ZAR - South African Rand)	